

**Yealink**

# PLAYBOOK OF YEALINK VIDEO CONFERENCING SOLUTIONS

**Telesmart**



*Updated January 2024*

# MTR BATTLECARD



**MeetingBar A10**

[View The Battlecard](#)



**MeetingBar A20**

[View The Battlecard](#)



**MeetingBar A30**

[View The Battlecard](#)



**MeetingBoard**

[View The Battlecard](#)

# Yealink MeetingBar A10 VS Logitech Meetup VS Poly R30

Specifications		Yealink MeetingBar A10	Logitech Meetup	Poly R30
Platform		Android Can run Teams or Zoom natively	None	None
Camera	Resolution	4K	4K	4K
	FoV	120°	120°	120°
	Zoom	4x e-PTZ	5x e-PTZ	5x e-PTZ
	Electric privacy shutter	√	X	X
	AI Features	Auto Framing Speaker Tracking Talkers Tracking Smart Gallery (Zoom only)	Auto Tracking	Auto Tracking Speaker Framing Conversation mode Presenter Tracking
Audio	microphone	8 MEMS microphone array	3-element beamforming microphone array	3-element beamforming microphone array
	speaker	5W high fidelity speaker	86.5+/-3dB SPL at 1/2 meter	100 Hz to 20 kHz frequency response speaker
	Full duplex	√	X (Claims support but shows below average)	X
	AI Features	AI noise cancellation algorithm Echo cancellation	RightSense	Poly Acoustic Clarity technology Poly NoiseBlockAI technology
Remote Control		CTP18 VCR11 remote control	Logitech Sync Remote Control	Poly Lens Desktop App Bluetooth remote control
Size		380mm x 55mm x 55mm	400.0 x 104.0 x 85.0 mm	445 mm x 68 mm x 81 mm

# Yealink MeetingBar A20/A30 VS Logitech Rally Bar



Model	MeetingBar A20	MeetingBar A30	Rally Bar Mini	Rally Bar
Chipset	Qualcomm 845 octa-core	Qualcomm 845 octa-core	Qualcomm 845 octa-core	Qualcomm 845 octa-core
Camera	20MP, 1-inch Sony CMOS sensor	Capturing Cam: 8MP, 133° FoV	AI Viewfinder: 4K, 120° FoV	AI Viewfinder: 8MP, 120° FoV
	120° FoV,	People Cam: 4K, 90° FoV	People Cam: 4K, 120° FoV, PTZ	People Cam: 4K, 90° FoV
	8X digital zoom	3X Optical, 3.5 Digital	4x digital zoom	5X Optical, 3x Digital
Privacy Cover	Electric privacy shutter	Electric privacy shutter	Manual	Manual
Motion Sensor	√	√	X	X
Microphone	8 MEMS microphone array	8 MEMS microphone array	6 MEMS microphone array	6 MEMS microphone array
Speaker	1	2	3	2
HDMI out	2	2	2	2
Content Sharing	HDMI + USB-C Wireless Content Share	HDMI + USB-C Wireless Content Share	HDMI in	HDMI in
BYOD	Wired BYOD (USB-C) Wireless BYOD	Wired BYOD (USB-C) Wireless BYOD	Wired BYOD (HDMI+USB-A)	Wired BYOD (HDMI+USB-A)
Camera AI	Auto Framing Speaker Tracking Multi-Focus Framing Picture in Picture Smart Gallery	Auto Framing Speaker Tracking Multi-Focus Framing Picture in Picture Smart Gallery	Auto Framing Speaker Tracking Smart Gallery	Auto Framing Speaker Tracking Smart Gallery

# Yealink MeetingBar A20/A30 VS Poly X30/X50



Items	Poly X30	Poly X50	Yealink A20	Yealink A30
Chipset	Qualcomm SDM835		Qualcomm SDM845	
Operation System	Android 10 (Coming soon)		Android 10	
Sensor	8M Pixels	8M Pixels	20M Pixels	Dual-camera system with 8M Pixels
Camera	FOV: 120°	FOV: 120°	FOV: 120°	Camera 1: 8MP / 90° / 3.5X optical PTZ * 3X digital
	Zoom: 4x digital	Zoom: 5x digital	Zoom: 8x digital	Camera 2: 8MP / 120° / 4X digital
Maximum Encoding & Decoding capabilities	4K30	4K30	4K60	4K60
Speaker	Built-in speaker	Built-in 2 speakers	Built-in speaker	Built-in 2 speakers
Microphone	4 array microphones	5 microphones	Full duplex with built in 8 MEMS microphones	
Camera Privacy Cover	Manual	Manual	Electric automatically	Electric automatically
AI Camera Feature	Auto Framing Speaker Tracking	Auto Framing Speaker Tracking	Auto Framing Speaker Tracking Multi-focus Framing Picture in picture Smart Gallery (Zoom ONLY)	Auto Framing Speaker Tracking Picture in picture Smart Gallery (Zoom ONLY)
HDMI	1 xHDMI-OUT	2x HDMI-OUT	2x HDMI-OUT (CEC Supported)	
Content sharing	Only HDMI-IN	Only HDMI-IN	HDMI + USB-C Wireless Content Share	
Ethernet port	10/100M/1000M	10/100M/1000M	10/100M/1000M	
Motion Sensor	X	X	√	
USB Ports	1x USB-C, 1x USB-A	2x USB-A, 1 x USB-C	1x USB-A	2x USB-A
line-in	X	3.5mm line-in & out	X	3.5mm line-in & out
Wi-Fi/Bluetooth	√	√	√	√
Security lock slot	√	√	√	√
Reset slot	√	√	√	√

## Touch Console



Poly TC8



Yealink CTP18

Screen	8 inch touch screen, 1280 x 800		8 inch touch screen, 1280 x 800	
Flexibility	Nonadjustable, built-in stand for 60°		Bracket with adjustable angle: 28° ~ 50°, meet different perspective needs	
PoE	√		√, Standard with a PoE adapter	
Ultra Sonic Emitter	√		√	
Wall mount	×		Standard with wall mount Bracket Set up on the table/ Mount on the wall	

# Yealink MeetingBar A20/A30 VS Neat Bar



Items	Neat Bar	Neat Bar Pro	Yealink A20	Yealink A30
Operation System	Android 10		Android 10	
Sensor	12MP	50 MP	20M Pixels	Dual-camera system with 8M Pixels
Camera	FOV: 120° Zoom: 4x digital	Camera 1: 113° HFoV Camera 2: 70° HFoV / 16× hybrid zoom	FOV: 120° Zoom: 8x digital	Camera 1 : 8MP / 90° / 3.5X optical PTZ * 3X digital Camera 2 : 8MP / 120° / 4X digital
Maximum Encoding & Decoding capabilities	4K60	4K60	4K60	4K60
Speaker	Built-in speaker	Built-in 2 speakers	Built-in speaker	Built-in 2 speakers
Microphone	3 sensor mics 5 angle microphones	4 tracking mics 16 microphones beamforming arrays	Full duplex with built in 8 MEMS microphones	Full duplex with built in 8 MEMS microphones
Camera Privacy Cover	X	X	Electric automatically	Electric automatically
AI Camera Feature	Auto Framing Multi-Focus Framing Smart Gallery	Auto Framing Multi-Focus Framing Smart Gallery	Auto Framing Speaker Tracking Multi-focus Framing Picture in picture Smart Gallery	Auto Framing Speaker Tracking Picture in picture Smart Gallery
HDMI	2 ×HDMI-OUT	3x HDMI-OUT	2x HDMI-OUT (CEC Supported)	
Content sharing	Only HDMI-IN	Only HDMI-IN	HDMI + USB-C Wireless Content Share	
Ethernet port	10/100M/1000M		10/100M/1000M	
Motion Sensor	X	X	√	√
USB Ports	1x USB-C	1 x USB-C	1x USB-A(A20) 2x USB-A(A30)	
line-in	X	X	X	3.5mm line-in & out
Wi-Fi/Bluetooth	√	√	√	√

# Yealink MeetingBoard VS Neat Board

## Competitive Features of Yealink MeetingBoard

- ✓ **Easy Deployment** : One cable, movable deployment
- ✓ **A Fit-to-All Room Solution:** With flexible components to fit all scenarios; Supports extended wireless mic/camera/display/Windows OPS module
- ✓ **Wireless sharing:** Support WPP30 wireless sharing
- ✓ **Full Device Eco System:** Click [here](#) to learn more



Model	Yealink MeetingBoard	Neat Board
Size	65 & 86 inch	65 inch
Camera	8MP, 120°FOV	12MP, 120°FOV
	Privacy shutter	No support for extended camera
	Support extended PTZ camera	
Mic	16 beamforming mic array AI-Powered noise cancellation & Reverberation suppression	5 mic array Noise suppression
Content Sharing	Both Wired & Wireless	Only HDMI
OPS module	✓	×
Dual touch screen	✓	×
Extended microphone	Wireless mic VCM36-W	×



# YEALINK MEETINGBOARD

Full Device Eco System

01 Optical PTZ camera 6x/12x



02 Extended mic. (wired/wireless)



03 Touch console




04 Sharing kit (wired/wireless)



05 Extended touch screen



06 Windows OPS module



For more info, please click [here](#) to download Yealink MeetingBoard Optional Peripherals Guide.



# More Questions? Talk to us.



## Address

107 Customhouse Quay, Wellington  
77 Grafton Road, Grafton, Auckland

## Phone

0800 835 376  
04 801 4640

## Email

[sales@telesmart.co.nz](mailto:sales@telesmart.co.nz)

## Website

[www.telesmart.co.nz](http://www.telesmart.co.nz)

